

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	174	(477/77).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 13:45
L10	814450	p and (shaft or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 13:45
L11	98	9 and (shaft or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 13:50
L12	115	9 and (power or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 13:51
L13	98	11 and (power or torque or speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 13:51
L14	28	13 and (pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 13:53
L15	112	(475/142).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:14
L16	216	(475/328).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:15
L17	78	16 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 14:19
L18	235	(475/339).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:18

L19	131	18 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 14:21
L20	44	19 and (clutch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 14:21
L21	105	(475/140).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:21
L22	72	21 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 14:22
L23	479	(475/324,326,328).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:22
L24	213	23 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 14:22
L25	157	24 and (clutch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 14:23
L26	23	("2737829" "2834229" "2853890" "2913929" "3031900" "3895546" "3908775" "3915267" "4286480" "4295798" "4431079").PN. OR ("4873892"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/11 14:26
L38	9	("1674557" "3561291" "4290322" "4567788" "4774857" "4862363" "6790152").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/11 15:44
S1	1	"07061779"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 11:38

S2	2	"07064219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/22 13:53
S3	0	"07B61779"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 11:38
S4	3	jp-b-7-61779	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 11:38
S5	9	("1674557" "3561291" "4290322" "4567788" "4774857" "4862363" "6790152").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/09 11:41
S6	2471	(29/469,434).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/10 14:20
S7	367	S6 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:00
S8	6	S6 and (clutch or transmission) and ((oil or fluid or liquid) near pump) and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:09
S9	63	S6 and (clutch or transmission) and (oil or fluid or liquid) and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:17
S10	1	all adj wheel adj drive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:46
S11	14582	(all or four or "4") adj wheel adj drive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:46

S12	10641	S11 and (differential or transmission or transfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:47
S13	4811	S12 and axle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:48
S14	8426	S12 and (axle or shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:48
S15	599	S14 and (oil near pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:04
S16	579	S15 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:06
S17	511	S16 and (clutch or slip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:06
S18	2	("6722611").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/10 14:06
S19	2472	(29/469,434).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/10 14:09
S20	2	S19 and (clutch or transmission) and ((oil or fluid or liquid) near pump) and brake	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:09
S21	540	S19 and (speed or power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:21

S22	315	S21 and (shaft or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:21
S23	14586	(all or four or "4") adj wheel adj drive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:04
S24	10645	S23 and (differential or transmission or transfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:30
S25	8428	S24 and (axle or shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:30
S26	917	S25 and ((oil or fluid) near pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:31
S27	895	S26 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:32
S28	736	S27 and (clutch or slip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:07
S29	661	S27 and clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:32
S30	591	S29 and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:07
S31	96	S29 and ((pinion and sun) near gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:32

S32	81	S31 and (turn or turning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:18
S33	43	("4063470" "4770280" "4874056" "4920828" "5078660" "5284068" "5323871" "5346442" "5363938" "5407024" "5411447" "5582263" "5651749" "5655986" "5697861" "5700222" "5702321" "5704863" "5704867" "5836847" "5902205" "5911644" "5924510" "5947858" "5951428" "5951429" "5993592" "6022289" "6056666" "6066065" "6092635" "6113512" "6123183" "6132332" "6149543" "6152848" "6186298" "6283887" "6354977" "6367604" "6409000" "6409001" "6458056").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/10 15:26
S34	4049002	(differential or transmission or transfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:30
S35	669991	S34 and (axle or shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:30
S36	27529	S35 and ((oil or fluid) near pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:31
S37	24784	S36 and (power or speed or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:32
S38	9088	S37 and clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:32
S39	755	S38 and ((pinion and sun) near gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:32

S40	2442	S38 and (((pinion or planet or planetary) and sun) near gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:33
S41	10	S40 and (method near (assembly or assemble or assembling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:34
S42	101	S40 and (method same (assembly or assemble or assembling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:34
S43	0	("2004/0060175").URPN.	USPAT	AND	ON	2006/01/10 15:42
S44	2	"6916265"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 15:45
S45	9	("1674557" "3561291" "4290322" "4567788" "4774857" "4862363" "6790152").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/10 15:46
S46	30	("0721093" "0749516" "2005726" "2070262" "2081863" "2239973" "2536861" "2775144" "3063309" "3425300" "3444763" "3648544" "3859871" "4043223" "4056986" "4658672" "5062823" "5326334" "5328419").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/10 16:43
S47	13	("2239973" "2775144" "3006217" "3063309" "3648544" "4056986" "4658672" "5062823" "5326334").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/10 16:45
S48	251	(74/322).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 10:45
S49	2014	(74/333).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 10:45
S50	729	S49 and (power or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 10:45

S51	670	S50 and (shaft or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 10:47
S52	310	S51 and (method or assembly or assemble or assembling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 11:19
S53	65	S51 and (process or method) and (assembly or assembling or assemble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 11:28
S54	166	(91/381).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 11:40
S55	250	(91/415).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 11:46
S56	70	(477/35).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 12:03
S57	56	S56 and (shaft or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:03
S58	55	S57 and (power or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S59	27	S58 and (pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S60	25	S59 and (clutch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04

S61	23	S60 and (gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S62	11	S60 and (method or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 11:55
S63	309	(477/39).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 12:03
S64	177	S63 and (shaft or axle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:03
S65	166	S64 and (power or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S66	166	S65 and (power or torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S67	120	S65 and (pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S68	119	S67 and (clutch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:04
S69	113	S68 and (gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 12:05
S70	112	S69 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/11 13:45